

## Math 330 Section 5 - Fall 2022 - Homework 05

*Published: Thursday, April 21, 2022*

*Running total: 25 points*

*Last submission: Wednesday, September 21, 2022*

### **Status - Reading Assignments:**

Here is the status of the reading assignments you were asked to complete by this date.

MF lecture notes:

ch.2 – ch.3; skim ch.4; ch.5.1 – ch.5.2; ch.6.1 – ch.6.2

B/G (Beck/Geoghegan) Textbook:

ch.1 – 2.2, ch.3

B/K lecture notes:

ch.1.1 (Introduction to sets) (optional)

ch.1.2 (Introduction to Functions) but skip ch.1.2.4: Floor and Ceiling Functions (optional)

**New reading assignments:** None

**Written assignments are on the next page.**

**Written assignments:**

**These written assignments are graded only once, and partial credit is given. The entire set is worth 6 points.**

**Written assignment 1:**

Injectivity and Surjectivity

- Let  $f : \mathbb{R} \rightarrow [0, \infty[; x \mapsto x^2$ .
- Let  $g : [0, \infty[ \rightarrow [0, \infty[; x \mapsto x^2$ .  
In other words,  $g$  is same function as  $f$  as far as assigning function values is concerned, but its domain was downsized to  $[0, \infty[$ .

Answer the following with **true** or **false**.

- a.  $f$  is surjective    c.  $g$  is surjective
- b.  $f$  is injective    d.  $g$  is injective

If your answer is **false** then give a specific counterexample.

**Written assignment 2:** Find  $f : X \rightarrow Y$  and  $A \subseteq X$  such that  $f(A^c) \neq f(A)^c$ .

**Hint:** Use  $f(x) = x^2$  and choose  $Y$  as a **one element only** set (which does not leave you a whole lot of choices for  $X$ ). See MF example 5.19 with the “arrows diagram”. Start this problem as follows: Let  $X := \{\dots\}$ ,  $A := \{\dots\}$ ,  $Y := \{\dots\}$ .

**Written assignment 3:** Let  $f : ] - 10, 10[ \rightarrow \mathbb{R}; x \mapsto x^2$ .

- a. what is the range of  $f$ ?    b. Is  $f$  injective?    c. Is  $f$  surjective?
- d.  $f(\{1\} \cup [4, 6]) = ?$     e.  $f([2, 5]) \cap f([4, 7]) = ?$     f.  $f^{-1}([4, 25]) \cap f^{-1}([16, 49]) = ?$

**Hint:** For **d, e, f**, review examples 5.24–5.27.

**Written assignment 4:**

You have learned in MF ch.5 that  
injective  $\circ$  injective = injective,  
surjective  $\circ$  surjective = surjective.

The following illustrates that the reverse is not necessarily true.

Assume that  $b_1 \neq b_2$ . Find functions  $f : \{a\} \rightarrow \{b_1, b_2\}$  and  $g : \{b_1, b_2\} \rightarrow \{a\}$  which satisfy the following: The composition  $h := g \circ f : \{a\} \rightarrow \{a\}$  is bijective but it is **not true** that both  $f, g$  are injective, and it is also **not true** that both  $f, g$  are surjective. **You are NOT ALLOWED use any other sets (symbols) when doing this problem!**

**Hint:** There are not a whole lot of possibilities. Draw all possible candidates for  $f$  and  $g$  in arrow notation as you see in MF example 5.19. There are only very few choices!