

## Math 447 - Spring 2026 - Homework 02

Published: Saturday, January 24, 2026

### Status - Reading Assignments:

Here are the reading assignments to be completed before the first one of this HW.

MF447 lecture notes:

ch. 1 - 2.3

WMS (Wackerly, et al. Textbook):

Nothing assigned yet

Other:

Nothing assigned yet

### New reading assignments:

It is really important for the WMS reading assignments that you work through the examples!

#### Reading assignment 1 - due Monday, January 26:

- a. Carefully read MF ch.2.4 and 2.5. Most of this has already been covered in lecture.
- b. Carefully read the remainder of MF ch.2. The material is easy to grasp. Note that I will work quite extensively with indicator functions when we do integration and expectations of random variables!

#### Reading assignment 2 - due Wednesday, January 28:

- a. Carefully read MF ch.3.1. The non optional material should be known from calculus.
- b. Carefully read MF ch.3.2. The notation may not be familiar, but you also should know that material from calculus.

#### Reading assignment 3 - due Friday, January 30:

- a. Carefully read MF ch.3.3 You should understand how this material relates to Calc 2 and Calc 3.
- b. **Extra carefully(!)** read the remainder of MF ch.3. (ch.3.4). Study each one of the examples of Chapter 3.4. They are applications of the general and abstract math you have seen before to probability!
- c. Carefully read MF ch.4. through Problem 4.1. You will strongly benefit if you understand from the examples and remarks the content of the definitions and theorems. Pay special attention to Remark 4.5, In particular, you should study the picture shown there. Only the strong students are encouraged to look at the proofs.

**General note on written assignments:** I will not collect those assignments for grading but doing them might be helpful for your quizzes and exams.

(a) Write from memory the following definitions and compare them with the MF lecture notes:

- countable set
- probability space def. with  $\sigma$ -additivity
- outcome vs event
- min/max/inf/sup,  $1_A(\omega)$
- Review Stewart multivariable calculus: double and triple integrals. Also for Calc 2 integrals: What are Riemann sums? What are step functions? How is that used to define  $\int f(\vec{x})d\vec{x}$  for  $\vec{x} \in \mathbb{R}^d$ , ( $d = 1, 2, 3$ )?

(b) Two dice are rolled at random; What is a probability space for events that correspond to the (potential) outcomes (e.g. (3, 1) means  $Y_1 =$  first roll = 3,  $Y_2 =$  2nd roll = 1) of those rolls? What is  $P\{8 \leq Y_1 + Y_2 \leq 10\}$ ? Use brute force: arrange all outcomes into a square grid and check off those with a sum between 8 and 10.

(c) Answer the following questions

- (c1) **Q:** For what kind of series does each rearrangement give the same value:
- (c2) **Q:** Are there any kinds of unions where rearranging the sets gives different results? What about intersections?
- (c3) If  $A_1 \subseteq A_2 \subseteq \dots$ , what is  $\min_j 1_{A_j}$ ,  $\inf_j 1_{A_j}$ ,  $\max_j 1_{A_j}$ ,  $\sup_j 1_{A_j}$ ?  
If  $A_1 \supseteq A_2 \supseteq \dots$ , what is  $\min_j 1_{A_j}$ ,  $\inf_j 1_{A_j}$ ,  $\max_j 1_{A_j}$ ,  $\sup_j 1_{A_j}$ ?

(d) One of the following assignments defined on the atomic events  $n$  of the sample space  $\mathbb{N}$  can be extended to a probability measure on  $\mathfrak{F} := 2^{\mathbb{N}}$ . Which one? What is wrong with the other two?

- $\{n\} \mapsto P_1\{n\} := (1/2)^{n-1}(1/4)$
- $\{n\} \mapsto P_2\{n\} := (1/2)^{n-1}(1/2)$
- $\{n\} \mapsto P_3\{n\} := (1/2)^{n-1}(3/4)$

### Selected answers:

Answers for (c):

- (c1) See MF ch.3.1
- (c2) Rearrangements can never affect unions or intersections. (MF ch.2)
- (c3) If  $A_1 \subseteq A_2 \subseteq \dots$ ,  $\min_j 1_{A_j} = \inf_j 1_{A_j} = A_1$ ;  $\max_j 1_{A_j}$  DNE,(in general);  $\sup_j 1_{A_j} = 1_{\cup_j A_j}$ .  
If  $A_1 \supseteq A_2 \supseteq \dots$ ,  $\max_j 1_{A_j} = \sup_j 1_{A_j} = A_1$ ;  $\min_j 1_{A_j}$  DNE,(in general);  $\inf_j 1_{A_j} = 1_{\cap_j A_j}$ .

(d) Since  $\mathbb{N} = \{1\} \uplus \{2\} \uplus \{3\} \uplus \dots$ , We must have  $P_1(\mathbb{N}) = P_2(\mathbb{N}) = P_3(\mathbb{N}) = 1$ . Let  $q := 1/2$ :

$$\sum_{j=0}^{\infty} q^j = \frac{1}{1 - 1/2} = 2.$$

Thus,

$$\sum_{j=1}^{\infty} P_1\{j\}q^j = \frac{1}{4} \sum_{j=1}^{\infty} q^{j-1} = \frac{1}{4} \sum_{j=0}^{\infty} q^j = \frac{2}{4} \neq 1.$$

Likewise,

$$\sum_{j=1}^{\infty} P_2\{j\}q^j = \frac{1}{2} \sum_{j=1}^{\infty} q^{j-1} = \frac{2}{2} = 1,$$
$$\sum_{j=1}^{\infty} P_3\{j\}q^j = \frac{3}{4} \sum_{j=1}^{\infty} q^{j-1} = \frac{3 \cdot 2}{4} \neq 1.$$

Only  $P_2$  can be extended to a probability measure on  $2^{\mathbb{N}}$ .